responsiveness in a chronic 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine + 3-nitropropionic acid model of striatonigral degeneration in monkeys, 34
Giamberardino, M.A., see Vecchiet, J., 151
Godukhin, O., see Yechikhov, S., 21
Gold, R., see Bayas, A., 155
Gotti, C., see Martin-Ruiz, C., 134
Granato, T., see Mollace, V., 163
Greene, A.S., see Patel, S., 95

Haasdijk, E.D., Vlug, A., Mulder, M.T., Jaarsma, D., Increased apolipoprotein E expression correlates with the onset of neuronal degeneration in the spinal cord of G93A-SOD1 mice, 29
Haenggeli, C., Kato, A.C., Differential vulnerability of cranial motoneurons in mouse models with motor neuron degeneration, 39
Hapfelmeier, G., Haseneder, R., Lampadius, K., Rammes, G., Rupprecht, R., Zieglgänsberger, W., Cloned human and murine serotonin$_{3A}$ receptors expressed in human embryonic kidney 293 cells display different single-channel kinetics, 44
Harrison, T.B., see Deouell, L.Y., 171
Haseneder, R., see Hapfelmeier, G., 44
Hattori, Y., see Watanabe, M., 99
Havemann-Reinecke, U., see Bleich, S., 179
Helmchen, C., Mohr, C., Erdmann, C., Petersen, D., Nitschke, M.F., Differential cerebellar activation related to perceived pain intensity during noxious thermal stimulation in humans: a functional magnetic resonance imaging study, 202
Henschel, M., see Pleger, B., 192
Hillard, C.J., see Patel, S., 95
Holmes, M.C., see Rhodes, J.K.J., 1
Houtani, T., Ikeda, M., Kase, M., Sato, K., Sakuma, S., Kakimoto, S., Ueyama, T., Munemoto, Y., Takeshima, H., Sugimoto, T., A subset of nociceptin/orphanin FQ receptor-expressing neurons in the anterior hypothalamic area, as revealed in mice with *lacZ* reporter gene, 217
Hu, X.-Y., see Xu, H., 175
Huber, O., see Zysset, S., 183
Hummel, V., see Bayas, A., 155
Hussain, S., Ali, S.F., Zinc potentiates 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine induced dopamine depletion in caudate nucleus of mice brain, 25
Hwang, I.-K., see Kang, T.-C., 207

Ichikawa, M., see Matsuoka, M., 111
Ikeda, M., see Houtani, T., 217
Ishido, M., see Masuo, Y., 124
Iwabe, T., see Watanabe, M., 99
Iwai, M., see Ohta, K., 159

Jaarsma, D., see Haasdijk, E.D., 29
Jäger, T., Behnisch, T., Reymann, K.G., High frequency stimulation-induced dendritic calcium waves in rat hippocampal neurons, 103
Jansen, A., see Pleger, B., 192
Jaros, E., see Martin-Ruiz, C., 134
Javaheripour, K., see Bleich, S., 179
Johansson, H., see Korotkov, A., 119
Juengling, F.D., Kassubek, J., Martens-Le Bouar, H., Reinhardt, M.J., Krause, T., Nitzsche, E.U., Moser, E., Korinthenberg, R., Cerebral regional hypometabolism caused by propofol-induced sedation in children with severe myoclonic epilepsy: a study using fluorodeoxyglucose positron emission tomography and statistical parametric mapping, 79

Kakimoto, S., see Houtani, T., 217
Kalemenev, S., see Yechikhov, S., 21
Kanai, S., see Miyasaka, K., 115
Kang, T.-C., An, S.-J., Park, S.-K., Hwang, I.-K., Bae, J.C., Won, M.H., Changed vesicular GABA transporter immunoreactivity in the gerbil hippocampus following spontaneous seizure and vigabatrin administration, 207
Karns, C.M., see Deouell, L.Y., 171
Kase, M., see Houtani, T., 217
Kassubek, J., see Juengling, F.D., 79
Kataeva, G., see Korotkov, A., 119
Kato, A.C., see Haenggeli, C., 39
Kawanami, T., see Miyasaka, K., 115
Knecht, S., see Pleger, B., 192
Knight, R.T., see Deouell, L.Y., 171
Kobayashi, S., see Miyasaka, K., 115
Kondo, K., see Yamasoba, T., 13
Korinthenberg, R., see Juengling, F.D., 79
Kornhuber, J., see Bleich, S., 179
Korotkov, A., Ljubisavljevic, M., Thunberg, J., Kataeva, G., Roudas, M., Pakhomov, S., Radovanovic, S., Lyskov, E., Medvedev, S., Johansson, H., Changes in human regional cerebral blood flow following hypertonic saline induced experimental muscle pain: a positron emission tomography study, 119
Krause, T., see Juengling, F.D., 79
Kruse, N., see Bayas, A., 155
Kurachi, M., see Murata, M., 9
Kuryatov, A., see Martin-Ruiz, C., 134

Laakso, M.P., see Boccardi, M., 139
Lahlou, S., Mechanisms underlying the cardiovascular responses to spinal dopamine receptor stimulation by apomorphine in anesthetized rats, 187
Lambert, J.C., see Araria-Goumidi, L., 75
Lampadius, K., see Hapfelmeier, G., 44
Langston, J.W., see Chen, R., 144
Iannone, M., see Mollace, V., 163
Lawrence, S., see Martin-Ruiz, C., 134
Lehner, M., see Szyndler, J., 49
Levin, S., see Yechikhov, S., 21
Lindstrom, J., see Martin-Ruiz, C., 134
Lino-de-Oliveira, C., De Lima, T.C.M., Carobrez, A.P., Dorsal periaqueductal gray matter inhibits passive coping strategy elicited by forced swimming stress in rats, 87
Ljubisavljevic, M., see Korotkov, A., 119
Loh, H.H., see Mizoguchi, H., 91
Lopez, G., see Monastero, R., 147
Lyskov, E., see Korotkov, A., 119

Maciejak, P., see Szyndler, J., 49
Mannino, M., see Monastero, R., 147
Manoel, E. de J., Basso, L., Correa, U.C., Tani, G., Modularity and hierarchical organization of action programs in human acquisition of graphic skills, 83
Martens-Le Bouar, H., see Juengling, F.D., 79
Martin-Ruiz, C., Lawrence, S., Piggott, M., Kuryatov, A., Lindstrom, J., Gotti, C., Cookson, M.R., Perry, R.H., Jaros, E., Perry, E.K., Court, J.A., Nicotinic receptors in the putamen of patients with dementia with Lewy bodies and Parkinson's disease: relation to changes in α-synuclein expression, 134
Masuo, Y., Ishido, M., Morita, M., Oka, S., Effects of neonatal 6-hydro-

xydopamine lesion on the gene expression profile in young adult rats, 124
Matsui, T., see Miyasaka, K., 115
Matsuoka, M., Yoshida-Matsuoka, J., Sugiura, H., Yamagata, K., Ichikawa, M., Norita, M., Mating behavior induces differential Arc expression in the main and accessory olfactory bulbs of adult rats, 111
Medvedev, S., see Korotkov, A., 119
Mezzetti, A., see Vecchiet, J., 151
Mishra, O.P., see Zubrow, A.B., 5
Miyasaka, K., Kobayashi, S., Ohta, M., Kanai, S., Yoshida, Y., Nagata, A., Matsui, T., Noda, T., Takiguchi, S., Takata, Y., Kawanami, T., Funakoshi, A., Anxiety-related behaviors in cholecystokinin-A, B, and AB receptor gene knockout mice in the plus-maze, 115
Mizoguchi, H., Wu, H.-E., Narita, M., Loh, H.H., Nagase, H., Tseng, L.F., Loss of μ-opioid receptor-mediated G-protein activation in the pons/medulla of mice lacking the exons 2 and 3 of μ-opioid receptor gene, 91
Mohr, C., see Helmchen, C., 202
Mollace, V., Iannone, M., Muscoli, C., Palma, E., Granato, T., Rispoli, V., Nisticò, R., Rotiroti, D., Salvemini, D., The role of oxidative stress in paraquat-induced neurotoxicity in rats: protection by non peptidyl superoxide dismutase mimetic, 163
Monastero, R., Caldarella, R., Mannino, M., Cefalù, A.B., Lopez, G., Noto, D., Camarda, C., Camarda, L.K.C., Notarbartolo, A., Averna, M.R., Camarda, R., Lack of association between angiotensin converting enzyme polymorphism and sporadic Alzheimer's disease, 147
Moriabadi, N.F., see Bayas, A., 155
Morita, M., see Masuo, Y., 124
Mormède, P., see Fernandez, F., 212
Moser, E., see Juengling, F.D., 79
Mulder, M.T., see Haasdijk, E.D., 29
Müller, A., see Bleich, S., 179
Munemoto, Y., see Houtani, T., 217
Murata, M., Suzuki, M., Tanaka, K., Tajiri, K., Emori, K., Kurachi, M., *N*-methyl-D-aspartate-R1 receptor antisense oligodeoxynucleotide modulates pre- and postsynaptic expression of D_2 dopamine receptors in the rat, 9
Muscoli, C., see Mollace, V., 163
Muthian, S., see Patel, S., 95

Nagano, I., see Ohta, K., 159
Nagase, H., see Mizoguchi, H., 91
Nagata, A., see Miyasaka, K., 115
Narita, M., see Mizoguchi, H., 91
Nicolas, V., see Pleger, B., 192
Nishi, M., see Watanabe, M., 99
Nisticò, R., see Mollace, V., 163
Nitschke, M.F., see Helmchen, C., 202
Nitzsche, E.U., see Juengling, F.D., 79
Noda, T., see Miyasaka, K., 115
Norita, M., see Matsuoka, M., 111
Notarbartolo, A., see Monastero, R., 147
Noto, D., see Monastero, R., 147

Ohta, K., Iwai, M., Sato, K., Omori, N., Nagano, I., Shoji, M., Abe, K., Dissociative increase of oligodendrocyte progenitor cells between young and aged rats after transient cerebral ischemia, 159
Ohta, M., see Miyasaka, K., 115
Oka, S., see Masuo, Y., 124
Omori, N., see Ohta, K., 159

Pakhomov, S., see Korotkov, A., 119
Palma, E., see Mollace, V., 163
Park, S.-K., see Kang, T.-C., 207
Parsons, A., see Dun, S.L., 197
Patel, S., Gerrits, R., Muthian, S., Greene, A.S., Hillard, C.J., The CB_1 receptor antagonist SR141716 enhances stimulus-induced activation of the primary somatosensory cortex of the rat, 95
Pennanen, C., see Boccardi, M., 139
Perry, E.K., see Martin-Ruiz, C., 134
Perry, R.H., see Martin-Ruiz, C., 134
Petersen, D., see Helmchen, C., 202
Piggott, M., see Martin-Ruiz, C., 134
Pizzigallo, E., see Vecchiet, J., 151
Plaznik, A., see Szyndler, J., 49
Pleger, B., Foerster, A.-F., Widdig, W., Henschel, M., Nicolas, V., Jansen, A., Frank, A., Knecht, S., Schwenkreis, P., Tegenthoff, M., Functional magnetic resonance imaging mirrors recovery of visual perception after repetitive tachistoscopic stimulation in patients with partial cortical blindness, 192
Porras, G., see Fernandez, F., 212

Radovanovic, S., see Korotkov, A., 119
Rahmann, H., see Beier, M., 17
Rammes, G., see Hapfelmeier, G., 44
Reinhardt, M.J., see Juengling, F.D., 79
Rekling, J.C., Neuroprotective effects of anticonvulsants in rat hippocampal slice cultures exposed to oxygen/glucose deprivation, 167
Reymann, K.G., see Jäger, T., 103
Rhodes, J.K.J., Andrews, P.J.D., Holmes, M.C., Seckl, J.R., Expression of interleukin-6 messenger RNA in a rat model of diffuse axonal injury, 1
Rieckmann, P., see Bayas, A., 155
Rispoli, V., see Mollace, V., 163
Rok, P., see Szyndler, J., 49
Rotiroti, D., see Mollace, V., 163
Roudas, M., see Korotkov, A., 119
Rupprecht, R., see Hapfelmeier, G., 44
Rüther, E., see Bleich, S., 179

Sakuma, S., see Houtani, T., 217
Salvemini, D., see Mollace, V., 163
Samson, A., see Zysset, S., 183
Sato, K., see Houtani, T., 217
Sato, K., see Ohta, K., 159
Savina, T., see Yechikhov, S., 21
Schwenkreis, P., see Pleger, B., 192
Seckl, J.R., see Rhodes, J.K.J., 1
Seo, K., Fujiwara, N., Cairns, B.E., Someya, G., Male rats require testosterone to develop contralateral digastric muscle activity in response to noxious stimulation of the temporomandibular joint, 107
Shchipakina, T., see Yechikhov, S., 21
Shoji, M., see Ohta, K., 159
Siemiatkowski, M., see Szyndler, J., 49
Soininen, H., see Boccardi, M., 139
Someya, G., see Seo, K., 107
Spampinato, U., see Fernandez, F., 212
Sperling, W., see Bleich, S., 179
Stefanova, N., see Ghorayeb, I., 34
Suemune, S., see Watanabe, M., 99
Sugimoto, T., see Houtani, T., 217
Sugiura, H., see Matsuoka, M., 111
Suzuki, M., see Murata, M., 9
Suzuki, M., see Yamasoba, T., 13

Szyndler, J., Wierzba-Bobrowicz, T., Maciejak, P., Siemiatkowski, M., Rok, P., Lehner, M., Czlonkowska, A.I., Bidzinski, A., Wislowska, A., Zienowicz, M., Plaznik, A., Pentylenetetrazol-kindling of seizures selectively decreases [^{3}H]-citalopram binding in the CA-3 area of rat hippocampus, 49

Tajiri, K., see Murata, M., 9
Takata, Y., see Miyasaka, K., 115
Takeshima, H., see Houtani, T., 217
Takiguchi, S., see Miyasaka, K., 115
Tanaka, E., see Watanabe, M., 99
Tanaka, K., see Murata, M., 9
Tani, G., see Manoel, E. de J., 83
Tanne, K., see Watanabe, M., 99
Tegenthoff, M., see Pleger, B., 192
Testa, C., see Boccardi, M., 139
Thunberg, J., see Korotkov, A., 119
Tison, F., see Ghorayeb, I., 34
Toyka, K.V., see Bayas, A., 155
Tseng, L.F., see Mizoguchi, H., 91

Ueyama, T., see Houtani, T., 217

Vecchiet, J., Cipollone, F., Falasca, K., Mezzetti, A., Pizzigallo, E., Bucciarelli, T., De Laurentis, S., Affaitati, G., De Cesare, D., Giamberardino, M.A., Relationship between musculoskeletal symptoms and blood markers of oxidative stress in patients with chronic fatigue syndrome, 151
Vlug, A., see Haasdijk, E.D., 29
von Cramon, D.Y., see Zysset, S., 183

Watanabe, M., Tanaka, E., Nishi, M., Iwabe, T., Hattori, Y., Suemune, S., Tanne, K., Expression of c-Fos-like immunoreactive neurons in the supratrigeminal region in the rat following noxious stimulation of the orofacial tissues, 99
Weber, F., see Bayas, A., 155
Wenning, G.K., see Ghorayeb, I., 34
Widdig, W., see Pleger, B., 192
Wierzba-Bobrowicz, T., see Szyndler, J., 49
Wilhelm, J., see Bleich, S., 179
Wislowska, A., see Szyndler, J., 49
Wohleben, G., see Bayas, A., 155
Won, M.H., see Kang, T.-C., 207
Wu, H.-E., see Mizoguchi, H., 91
Wu, L., see Xu, H., 175

Xu, H., Hu, X.-Y., Wu, L., Zhou, J.-N., Neurotensin expressing neurons developed earlier than vasoactive intestinal polypeptide and vasopressin expressing neurons in the human suprachiasmatic nucleus, 175

Yamagata, K., see Matsuoka, M., 111
Yamasoba, T., Suzuki, M., Kondo, K., Transgene expression in mature guinea pig cochlear cells in vitro, 13
Yang, J., see Dun, S.L., 197
Yechikhov, S., Shchipakina, T., Savina, T., Kalemenev, S., Levin, S., Godukhin, O., The role of Ca^{2+}/calmodulin-dependent protein kinase II in mechanisms underlying neuronal hyperexcitability induced by repeated, brief exposure to hypoxia or high K^+ in rat hippocampal slices, 21
Yoshida, Y., see Miyasaka, K., 115
Yoshida-Matsuoka, J., see Matsuoka, M., 111

Zeng, Q., see Dun, S.L., 197
Zhou, J.-N., see Xu, H., 175
Zieglgänsberger, W., see Hapfelmeier, G., 44
Zienowicz, M., see Szyndler, J., 49
Zubrow, A.B., Delivoria-Papadopoulos, M., Ashraf, Q.M., Fritz, K.I., Mishra, O.P., Nitric oxide-mediated Ca^{2+}/calmodulin-dependent protein kinase IV activity during hypoxia in neuronal nuclei from newborn piglets, 5
Zysset, S., Huber, O., Samson, A., Ferstl, E.C., von Cramon, D.Y., Functional specialization within the anterior medial prefrontal cortex: a functional magnetic resonance imaging study with human subjects, 183